SMART OPS PC modules **PCM11 series**

PCM11-i5 (PCM11-1)
PCM11-i7 vPro™ (PCM11-2)

Windows 10 Compatible

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE

OVERVIEW

SMART Open Pluggable Specification (OPS) PC modules provide a hassle-free Windows® 10 Pro solution[1] based on 11th generation Intel® Core™ processors, and are designed specifically to work with SMART Board® interactive displays. Available in two standard configurations, all OPS PC modules in the PCM11 series are WHQL (Windows Hardware Quality Labs) certified and fully licensed with Windows 10 Pro out of the box. Install the OPS PC module in a SMART Board interactive display's OPS slot to provide a complete 4K UHD Windows 10 solution at your fingertips, without the need for an external device or additional cables.

Install familiar Windows software applications, such as SMART Notebook® collaborative learning software, SMART TeamWorks™ visual collaboration software, and SMART Meeting Pro® software, and access the internet directly through your existing interactive display's network connection. Upgrades and service for the OPS PC module are easy to perform without removing the interactive display from its mounting.

NOTE

OPS PC modules are available with customizable memory (RAM) and storage (SSD) on extended lead times with minimum order quantity. Please contact your local sales representative for details.

PCM11-i5

Processor (Tiger Lake U)	Intel Core i5 1135G7
Memory	8 GB (2 × 4 GB) DDR4
Storage	256 GB M.2 NVMe SSD
Graphics	Intel Iris® Xe Graphics 80EU
4K UHD video	Yes, Full 4K UHD, 60 Hz
Operating system	Windows 10 Pro full license
LAN	Gigabit Ethernet Intel I219
Wireless	Intel Wireless (2.4 GHz / 5 GHz / BT) IEEE 802.11ax (Wi-Fi 6) Bluetooth® 5.2
TPM	Trusted Platform Module 2.0

PCM11-i7 vPro

Processor (Tiger Lake U)	Intel Core i7 1185G7 vPro
Memory	8 GB (2 × 4 GB) DDR4
Storage	256 GB M.2 NVMe SSD
Graphics	Intel Iris Xe Graphics 96EU
4K UHD video	Yes, Full 4K UHD, 60 Hz
Operating system	Windows 10 Pro full license
LAN	Gigabit Ethernet Intel I219 vPro
Wireless	Intel Wireless vPro (2.4 GHz / 5 GHz / BT) IEEE 802.11ax (Wi-Fi 6) Bluetooth® 5.2
TPM	Trusted Platform Module 2.0

smarttech.com
smarttech.com/contact

[1]Windows 11 ready

SMART DISPLAYS AND SOFTWARE[2]

Supported SMART Board interactive display series	GX MX100 MX (V2) and MX (V2) Pro 6000S and 6000S Pro 7000-V2 and 7000-V2 Pro 7000R and 7000R Pro
Installation in displays	Installs in OPS slots of supported SMART Board interactive displays
Available SMART software	SMART Notebook SMART TeamWorks SMART Meeting Pro SMART Remote Management

STORAGE AND OPERATING REQUIREMENTS

Power requirements	12V to 19V DC
Operating temperature	32–104°F (0–40°C)
Storage temperature	-4–140°F (-20–60°C)
Humidity	10–90% relative humidity, non-condensing

POWER CONSUMPTION

Standby	<0.5 W
Maximum	60 W

CERTIFICATION AND COMPLIANCE[3]

US / Canada	UL Recognized, FCC, ISED, CONEG Packaging, California Prop 65
EU / EEA / EFTA / UK	CE, UKCA, REACH, RoHS, Battery, Packaging, POP
Australia / New Zealand	RCM Mark
Performance / interoperability certifications	WHQL

PURCHASING INFORMATION

Order number: UGK-PCM11-i5	OPS PC module with Windows 10 Pro, i5 processor
Order number: UGK-PCM11-i7v	OPS PC module with Windows 10 Pro, i7 vPro processor

WARRANTY

|	
Included warranty	Three-year limited equipment warranty
EWY1-PCM11-i5	One-year warranty extension for PCM11 series OPS PC module, i5 processor
EWY2-PCM11-i5	Two-year warranty extension for PCM11 series OPS PC module, i5 processor
EWY1-PCM11-i7v	One-year warranty extension for PCM11 series OPS PC module, i7 vPro processor
EWY2-PCM11-i7v	Two-year warranty extension for PCM11 series OPS PC module, i7 vPro processor

HARDWARE COMPONENTS

		Qty
A.	Antennae	2
B.	Power and hard drive status lights	2
C.	Power button	1
D.	Kensington® Security Slot	1

INPUTS AND OUTPUTS

		Qty
1.	Stereo 3.5 mm	1
2.	HDMI® 1.4 in	1
3.	HDMI 2.0 out	1
4.	USB Type-C	2
5.	USB 3.0 Type-A	2
6.	RJ45 (including indicator lights)	1
7.	USB 2.0 Type-A	1

NOTE

Charge a maximum of five devices at a time using USB receptacles.

---

[2]Sold separately

[3]Product availability may vary by region.

  This product has received additional certifications not listed here.

DIMENSIONS AND WEIGHTS

> **NOTE**
>
> All dimensions and weights ±10%.

Dimensions

1 1/8" (3 cm)

7 7/8" (20 cm)

7 1/8" (18 cm)

5 3/8" (14 cm)

Weight

2 lb. (910 g)

Shipping dimensions

10 5/8" × 8 5/8" × 2 3/4" (27 cm × 22 cm × 7 cm)