

98" Wi-Fi Interactive Flat Panel

40 simultaneous touch points LED ULTRA HD

Integrated Touch | Infrared technology | Android 11 20Wx2 integrated speakers | Ambient light sensor BytelloShare license included | USB Type-C Full-Link

HC9820M

98" INTERACTIVE FLAT PANEL Wi-Fi RDM-READY

98" 65" 75" 86"







Zero Gap Technology allows sharper images with better contrast and reduced glare.

Automatic brightness adjustment via ambient light sensor.



Infrared technology touch screen; usable even with gloves or any other solid object.

Anti-glare tempered glass with Mohs 7 4mm thickness.



Integrated 20Wx2 front stereo speakers. Total power 40W.



HDMI 4K input Updated interface and electronics 3x HDMI IN, 1x HDMI OUT 4x USB 3.0, 2x TOUCH OUT 2x LAN (RJ45 - Autoswitching) 1x USB type-C Full-Link



Quad Core A55 4GB RAM, 32GB ROM **OPS Standard slot**


SI07 Wi-Fi and Bluetooth module included



Remote Display Management Included license (1 year)*

Software Touch Display+ BytelloShare Perpetual license





Zero Gap bonding

Direct bonding

The touch panel and the glass surface are bonded without interspace by means of highly transaparent liquid adhesives. There is therefore no empty space between the outer glass and the LCD panel.

Touch Display +



3.0 Teaching Tools dedicated to teachers and students.

Note | Note plus | Capture | AirClass 2.0 | Bytello (Perpetual license included).

ScreenShare Pro included (Perpetual license)



RDM Ready

Remote Display Management




With Chimpa RDM you can remotely control, view and manage the functioning of the Interactive monitor with Android.

Two steps are enough to register the device in your administrative panel.

What are the advantages of Zero Gap?

Thanks to the improvement of the optical refraction between touch and LCD, the monitor will have excellent readability, even in high light conditions, optimized contrast and less reflections. In addition, the monitor will be even more accurate to touch inputs. The absence of air prevents the formation of condensation and the proliferation of mold and bacteria on the screen, thus ensuring maximum hygiene.



Bottom panel



Pens with iron core

Magnetic attachment to the monitor




Front panel



Side panel





(b)

USB Type-C Full-Link





USB Type-C Full-Link is based on USB 3.2 Gen 2x2 with a transfer velocity of 20 Gbps thanks to two 10 Gbps lines that work in parallel.



SINGLE INTERFACE

With only one cable it will be possible to transfer 65W, **Audio** and **Video** up to **4K** quality, computer touch signal and network connection between the monitor and compatible devices.

CONNECTION WITH ONLY ONE CABLE

LAN In/out

Autoswitching




Two RJ45 ports

included) and any external compatible device in an intuitive way, thanks to interchangeable port in both input/output without external switch or cables.

1000Mbps internet *speed* at full **potential**

CONNECTING DEVICES IT HAS NEVER BEEN EASIER



Note

AirClass 2.0

Interactive board Android software (Perpetual license included)

Application for Android

Allow your students

to use their smartphones!

questions and queries posed on the screen.

After scanning the QR Code, student devices connected

under the same network as the monitor will be able to interact with the teacher's messages and answer the

B

Comparing the connectency adults of the c



Simplified writing tools

Configurable workspace

Advanced additional drawing tools

Screen and external webcam recording

Export and direct sharing in the Cloud

C

E F

Н



NotePLUS

Software for lectures and presentations (Perpetual license included)
Windows application





Download Software

Subject-specific teaching tools

PowerPoint presentation tool

Export to document format

Auto save | Auto update

Configurable page layout

Speech synthesis of the text

Three different working modes

Hypertext links

Advanced drawing mode

Capture

Recording & Editing video lessons (Perpetual license included)

Windows application



EasiCapture is a complete software for recording and audio/video editing of lectures, video tutorials and video courses. It is an extremely powerful, flexible and easy-to-use solution designed both for teachers, who want to work in an innovative way, for example with a "flipped classroom" approach, and for the entire class when they want to create videos and films of any kind.



Video recording

Screen capture
Capture from peripheral
(webcam, document camera etc.)
Full screen capture
Capture a customized portion
of the screen

Audio recording

Microphone recording Recording from external audio source System audio recording

Video editing

Unlimited tracks
Clip cut
Audio track separator
Video material library
Zoom and video transitions
Insert text | Insert watermark
Insert external files (pictures, audio etc.)
Export in .mp4 format



Bytello


To prepare and share the lessons (Perpetual license included)

Application for Android

Bytello Class

Bytello Class is an Android app that allows the teacher to share the lecture with the students. Each teacher can log-in into the cloud service to create the lessons with its own contents and expand them with the tools made available by the plattform. The lessons are saved on the account of the teacher and they are available at anytime and on any device.

Thanks to the dedicated application installed on the Interactive Flat Panel is it possible to show these lessons to the students that have the possibility to partecipate to the lesson. They also have the possibility to answer to questions with the use of their onw devices, by simply logging in on the website and use the six digit code shown on the application



Animations for the presentation

Save the file on the cloud


Interaction with the students

Magnetic link of the object

2 and 3 dimensions tools

Customizable exercises





Device Slot-in





Software included

Chimpa RDM



Chimpa RDM is a Remote Display Management software solution which allows you to manage, monitor, diagnose and protect devices with Android, used within your organization from data theft and computer intrusions. You need just a few minutes to activate Chimpa and its ease of use makes it suitable even for inexperienced users.

Included license

ScreenShare Pro



Wireless mirroring
File sharing
Multidevice collaboration

Compatible with Windows, MacOS, Linux, iOS and Android. It allows to perform bi-directional mirroring in split-screen mode.

Included license

Remote Display Management



Chimpa RDM is a remote device management solution specifically developed for interactive flat panels. Thanks to its advanced features and its versatility, Chimpa RDM can be used in various areas of use:



Meeting rooms



Schools and training centers



Retail and Large distribution



The main features of Chimpa

App and content distribution



With Chimpa you can distribute apps and contents, private APKs, settings and updates from a simple browser panel. In Chimpa Admin Panel you can use official stores or Cloud services, such as Google Drive, Dropbox and OneDrive. You'll just need to perform a few simple steps to send to all, or only to some, the managed devices specific documents and contents or an application to be used.

Profile management and restrictions



Chimpa allows you to manage user profiles, guest profiles and even specific restrictions based on a single device or a certain time slot. Chimpa keeps your company safe from any inappropriate use of devices, thus allowing you to manage separately personal and work data, in full compliance with GDPR at European rules an excellent solution in a BYOD approach.

Kiosk mode e single-App mode



Thanks to Chimpa the flat panel can be set to a specific welcome screen for your school/organization or be configured in Kiosk mode to allow the use of only single application.

Monitoring and remote assistance



Chimpa RDM can monitor and keep record of all hardware and software use reports, notifying any operating anomalies. Furthermore, thanks to the Remote Commands Input section, the supervisor can interact with the monitor as if he/she were physically close to it: this means that it is possible to provide technical assistance and maintenance remotely. Finally, from the Chimpa Admin Panel it is possible to view what the interactive monitor is showing in real time and take control of the device with a simple graphic interface.

Customizable

Specific configuration according to your needs and

Complete

Specific configuration according to your needs and methods of use.

Certified

Chimpa's developer company is the only one in Italy to be an Android Enterprise Mobility Management service provider.

User-Friendly

Clear and intuitive Admin Panel, suitable for users of any level.

Easy Enrollment

HELGI is the only Italian brand able to offer you a complete package right from the first start-up of your devices in just a few taps.

Safe

It protects your organization from inapproriate uses of devices, allowing you to manage the division between personal and corporate data.

Activate your license



Mobile Threat Defense

For the prevention and detection of threats that may affect your Interactive Flat Panel.

The MTD module checks the integrity of the Android Operating System, and data that are stored, ensuring a total protection thanks to an advanced antivirus system and a firewall. They are specifically designed and developed for the Interactive Flat Panel world.

Defend from the threats your Interactive Flat Panel









ScreenShare Pro 👝

Included

ScreenShare Pro is a wireless mirroring, sharing and multidevice collaboration solution. The license (perpetual) allows you to activate the ScreenShare Pro server app of the interactive monitors and there is no limit to the number of client devices (Windows, MacOS, Linux, iOS and Android) that can be connected to it using the same Wi-Fi network.

Among the main features, ScreenShare Pro allows for bi-directional mirroring (from server to client and from client to server) in split-screen mode up to a maximum of 9 devices connected simultaneously.

Remote control of Windows, MacOS and Linux devices through touch input from the monitor, sending of image, audio and video files in real time from client to server, annotation on shared documents.



Mirroring from device to interactive flat panel

(Max 9 devices simultaneously)




Mirroring from interactive flat panel to device

(Max 1 device)



ScreenShare Pro



Technical specification

ScreenShare Pro

Code	HLG-SSP			
License type	Perpetual, to be activated on the monitor's Android OS after installing the .apk server file			
Compatibility	Android (Interactive monitor server), Windows, MacOS, Android, iOS (client device)			
Connection	Wi-Fi on the same network (does not require Internet access)			
Access	With 6-digit PIN			
Security	Display of client devices connected via Master Mode. Ability to accept/refuse connection requests and disconnect managed devices. Ability to define the refresh rate of the connection PIN. Possibility to activate the advanced connection via alphanumeric PIN.			
Split screen	Possibility to view up to a maximum of 9 devices connected simultaneously on the same screen; + function to bring a device to full screen			
Presentations	Support for PowerPoint, KeyNote, PDF slide management; drawing tools and real time annotation on presentations, virtual laser pointer			
	iOS, Android	Sharing media files (photo, audio, video) from local library		
		Sharing documents from local library		
		Audio/video streaming sharing from the device camera		
		Remote control of the contents displayed on the monitor (one client device at a time; possibility to choose between interaction via touchpad mode or motion mode). Supported commands: left click, right click, drag & drop, on-screen keyboard.		
Client tools		Mirroring from monitor to device with remote control of the contents displayed on the monitor (up to a maximum of 9 client devices at a time; supported commands; left click, right click, pinch and zoom, drag & drop, on-screen keyboard.		
		Mirroring from device to monitor via native protocols (AirPlay for iOS, Miracast for Android)		
	Windows, MacOS	Mirroring from monitor to PC with remote controlof the contents displayed on the monitor (one client PC at a time; supported commands: left click, right click, pinch and zoom, drag & drop, on-screen keyboard)		
		Mirroring from PC to monitor with remote control of the contents displayed on the monitorthrough the touch screen interface (up to a maximum of 9 client PC at a time;supported commands:left click, right click, pinch and zoom, drag & drop, on-screen keyboard)		



In addition to the supplied software, withHELGIyou can expand the possibility of using the Interactive Flat Panel thanks to some specific accessories. The solutions are designed for the most frequent needs in the corporate/educational fields, to make the Interactive Flat Panel the fulcrum of business/educational collaboration.

Wireless Collaboration The solution dedicated to internal business collaboration and training: with the integrated OPS module, it will be possible to use the display like a real computer with all the features of Windows. Corporate Solution (Standard) The solution for small/medium sized huddle and conference rooms: it includes the display, cart, OPS module 2

H64I7108256

忍

Corporate Solution

(Advanced)

and webcam.

The ideal solution for meeting rooms: compared to the standard version, it includes an A/V soundbar that includes webcam + speakers in an all-in-one solution suitable for larger rooms.



HLGMOVMIFFLX

61U3100000AM


Customized solutions on request



	Code HC9820M			
	Lightning	Direct type LED		
	Quality	Grade A		
	Display Area	215,89 x 121,44 cm		
	Diagonal	98"		
	Aspect ratio	16:9		
	Resolution	UltraHD 4K		
₹	Color depth			
DISPLAY	Brightness	560 cd/m ²		
_	Contrast ratio	6.000:1		
	Viewing angle	178° V / 178° H		
	Refresh rate	60Hz		
	Response time	2,5 ms		
	Sensors	Ambient light		
	Touch technology	Infrared matrix		
	Driver	HID		
	Simoultaneous touch points	Up to 40 (Windows)		
ТОПСН	Input tools	Fingers (even with gloves) or any other passive object		
5	Object size	<1.8 mm		
	Input resolution	<1.4 ms		
	Accuracy	±0.5 mm		
	Risoluzione Input	32768 x 32768		
	Surface	Anti-reflective tempered glass 4mm Mohs level 7		
DATA	External dimensions	224,5 x 132,3 x 9,2 cm (L x H x P)		
ГЕСН БАТА	net weight	98,5 Kg		
	VESA	800 x 600 mm		

			(5 . 6 . 1) 3 . HUBA W OLITE COLITE	
NTERFACE	Input	3x HDMI IN (1x front), 1x HHDMI OUT, 1x USB type-C Full-Link (front), 1x VGA IN, 1x PC AUDIO IN, USB 2.0 OTG, 4x USB 3.0 (2x front), 2x TOUCH OUT (1x front), 1x RS232, 2x LAN (RJ45 - Autoswitching)		
	Output	1x Audio Ol	JT, 1x COAX Out	
H H	Connectivity	Ethernet LA	AN, Wi-Fi, Bluetooth, HotSpot	
	Speaker power	20W x 2		
	OPS Slot	Compatible with OPS Standard		
	System version	Android 11		
ANDROID OS	Compatible applications	GSuite, Google Apps, Microsoft Office, Microsoft Teams, Cisco Webex, Zoom, Google Chrome, Mozilla Firefox, Skype		
	App installation	All apps compatible with the Android version of system (function can be deactivated)		
	CPU	Quad Core A55		
	GPU	Mali G52 MP2		
	RAM	4 GB		
	SSD	32 GB		
	Maximum consumption	558W		
ENERGY	Standby Consumption	≤0.5W (Standby)		
EN EN	Lifetime	60.000 hours		
	Operating time	24/7		
ORIES	Content of the package	1x USB (5m control (bat	Power cord (3m), 1x HDMI (3m),), User manual, 2x Passive pens, 1x Remote tteries included), 1x wall mounting, 1x SI07 ule Dual Mode)	
ACCESSORIES	Included software	Note (Android), Note ^{PLUS} (Windows) Capture (Windows Bytello OS, Bytello Class, Bytello Share		
•	Chimpa RDM included license	1 year since enrollment*		
CEF	RTIFICATIONS		WARRANTY	
ROH	ns, CE, SGS**		3 years on center	
Admitted languages			Catalan, Czech, Danish, German, Estonian, English, Spanish, French, Croatian, Italian, Hungarian, Dutch, Norwegian Polish, Portuguese, Romanian, Turkish Swedish, Greek, Russian, Arabic, Chinese Japanese, Lithuanian.	

Environmental conditions				
Operation Temperature	Operation Humidity	Storage Temperature	Storage Humidity	Altitude
0°C~40°C	10%~90%RH	-20°C~ 60°C	10%~90%RH	below 5000 meters







www.HELGI-europe.com

HELGI Europe

education@helgi-europe.com business@helgi-europe.com

#07042025HC9820M_EN

Dealer			
D GGIOI			