### LV-X310ST

## Bright, compact and portable short-throw XGA projector for education and business.

This short-throw XGA portable projector is light, compact and delivers bright, sharp images from short distances. Reliable operation and low ownership costs make this an ideal choice for the price-conscious buyer.




















- Enjoy bright colours and deep blacks with 3,100 lumens and 10,000:1 contrast ratio
- Display large images from close range with the 0.61:1 short-throw lens
- Experience sharp, detailed images thanks to the DLP<sup>TM</sup>
- Light and compact at just 2.8 kg for easy transport
- RJ-45 and MHL-compatible HDMI<sup>TM</sup> ports; support for 3D content via the DLP-Link system
- Vertical and horizontal keystone correction (+/-15°) keeps images true
- 6-axis colour adjustment and Screen Colour feature adapts to your environment
- Up to 6,000 hour lamp life plus 3-year replacement lamp warranty\*
- Built-in 10W speaker and audio line out plus quiet operation at just 29dB

### **Product Range**



LV-WX300ST



LV-X310ST



LV-X300ST





LV-X320 LV-X300 LV-WX310ST LV-WX300ST LV-X310ST LV-X300ST LV-S300

LV-WX320 LV-WX300



## LV-X310ST

### **Technical Specifications**

#### PANEL

Type Size and Number 0.55" diagonal x 1

Aspect Ratio

Native Resolution

OPTICS

Lamp Type Lens F Number and Focal

Focus Control

Vertical: 65% Fixed Lens Shift Lamp Life

**IMAGE AND AUDIO** 

Brightness Uniformity

Contrast Ratio

Projection Distance

Coverage Screen Size

Projection Ratio

Digital Zoom Magnification

**Keystone Correction Range** 

Digital RGB Compatibility

Analogue RGB

Compatibility Digital Video Scan Systems

MHL Input

Component Video Scan Systems

Video / S-Video Colour

Systems

3D content

Built-in Speaker

1-Chip DLP

1024 x 768 (XGA), 786,432 pixels

210W Super High Pressure Mercury Lamp

Manual

4000 (Normal), 6000 (Eco)

3100 lumens / 2450 lumens

10,000:1 (full on / full off)

0.74 m - 1.49 m

60" - 120" (122 cm x 91 cm - 244 cm x 183 cm)

0.61:1

Vertical: +/-15°

Horizontal: +/-15°

UXGA / WXGA+ / SXGA+ / FWXGA / WXGA / SXGA / XGA /

SVGA / VGA

UXGA / WXGA+ / SXGA+ / FWXGA / WXGA / SXGA / XGA /

SVGA / VGA / MAC

1080p / 1080i / 720p / 576p / 480p

1080p / 1080i / 720p / 576p / 576i / 480p / 480i

1080p / 1080i / 720p / 576p / 576i / 480p / 480i

PAL / PAL-M / PAL-N / NTSC / NTSC4.43 / SECAM / Pal-60

HDMI using DLP-Link: Frame Sequential / Frame Packing / Top-Bottom / Side-By-Side

10W RMS. Monaural

#### PORTS AND CONNECTORS

Digital RGB / Digital Video / MHL

Analogue RGB Input 1

Analogue RGB Input 2

S Video input

Audio Input 1

Audio Output

USB Port

Projector Control

LAN Network Port

3.5 mm stereo mini-jack (variable level)

Mini-Din4

Mini D-Sub 15-pin

Mini D-Sub 15-pin

Service port USB Type B RS-232C Mini D-Sub 9-pin

3.5 mm stereo mini-jack

RJ-45 (100BASE-TX / 10BASE-T)

MECHANISMS

Elevation Mechanism

One front & one rear rotary foot, 6° maximum image

HDMI™ V1.3 (with Deep Colour), MHL Input

elevation

RATINGS

Warranty

Dimensions (W x H x D)

282 mm x 117.9 mm x 267.5 mm (Including protrusions) Weight

2.8 kg (6.2 lbs)

Power Source 100V - 240V AC, 50/60Hz

Normal Mode: 350W / Eco Mode: 240W / Standby: 3W / Power Consumption

Standby (LAN off): 0.5W

Noise Level Normal Mode: 36dBA / Eco Mode: 29dBA

Operating Environment 0°C to +40°C Storage Environment

-10°C to +60°C

3 years

All data is based on Canon standard testing methods except where indicated Subject to change without notice.



1 USB type B: Service port

2 RJ-45: Network connection (100BASE-TX / 10BASE-T)

3 HDMI: HDMI input

4 Mini Dsub 15 x2: Analog PC input / Component video input

5 Dsub9: RS232C connection

6 RCA: Video input

7 Mini DIN4: S-video input

8 Mini jack x2: Audio input x1, Audio output x1

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2015



•

## LV-X310ST

# Bright, compact and portable short-throw XGA projector for education and business.

This short-throw XGA portable projector is light, compact and delivers bright, sharp images from short distances. Reliable operation and low ownership costs make this an ideal choice for the price-conscious buyer.

Sales Start Date: January 2016




### Product Details:

roduct Name Mercury Code		EAN Code	Recommended Retail Price		
Multimedia Projector LV-X310ST	0911C003AA	4549292047479	<please fill="" in="" rrp=""></please>		

### Optional Accessories:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
Remote Controller LV-RC08	0029C001AA	4549292024203	<please fill="" in="" rrp=""></please>	
Projector Lamp LV-LP38	0031C001AA	4549292024234	<please fill="" in="" rrp=""></please>	

Image Size (4:3)	Diagonal (inches)	60	70	80	90	100	120
	Width (m)	1.22	1.42	1.63	1.83	2.03	2.44
	Height (m)	0.91	1.07	1.22	1.37	1.52	1.83
Projection Distance	Meters	0.74	0.86	0.99	1.11	1.23	1.48
	Inches	29	34	39	44	49	58



Optical axis when projected vertically against a screen



•

## LV-X310ST

# Bright, compact and portable short-throw XGA projector for education and business.

This short-throw XGA portable projector is light, compact and delivers bright, sharp images from short distances. Reliable operation and low ownership costs make this an ideal choice for the price-conscious buyer.



### Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Net Weight (kg)	Gross Weight (kg)
Multimedia Projector LV-X310ST	0910C003AA	EA	Each	1	268	282	118	2.7	
		СТ	Carton	1	377	185	345		3.7
		EP	Euro Pallet						

### What's in the box?

- Multimedia Projector LV-X310ST
- Remote Control
- Battery
- AC Mains Power Cable
- Computer Connection Cable
- Instruction Manual on CD-ROM
- Important Information and Quick Start Document
- European Warranty Document

