

Omnichart UV 36

Charging Cart with UV Temperature

Notebooks | Chromebooks | Tablets (max 15.6") VR viewers | Headsets | Rechargeable devices

Charging cart for up to 36 devices (max 15.6") 3 UV lamps to sterilize and kill 99% of bacteria.

HLGOMUV36BW2

OmniChart UV 36





Structure

All-metal frame with natural air circulation, 4 swivel casters equipped with brakes and two plastic side handles to conveniently move the cart where needed.

Front compartment for housing devices equipped with security lock and double retractable door in the body of the unit.

Upper compartment with security lock and servo-assisted opening/closing system with double gas piston.

Rear compartment for housing power supplies, equipped with double doors with security lock.



Power and Charging



Rear compartment not accessible from front and top compartments, equipped with grommet holes to connect devices to power supply.

Equipped with four strips of 9 sockets each and compartment for transformer placement.

Control unit for simultaneous power timing on all outlets or in timed sequence to avoid overloading.

Single 5m power cable built into the power pack.

Details



Product Gallery



External product details Handle | Front lock | Upper compartment




Rear compartment details Cable reels | Power outlets | Programming unit



Interior details and sterilizer

Modular and fully removable | Front activation button | 3 UV lamps

CE certified trolley for the following standards:	EN 55032:2015	EN 61000-3-2:2014		CE certified control unit	EN 62368-1:2014+A11:2017
	EN 55035:2017	EN 61000-3-3:2013			
2014/30/EU Electromagnetic Compatibility Directive			CE certified lamps	EN 61195 - EN 61199	









www.HELGI-europe.com

HELCI Europe education@helgi-europe.com business@helgi-europe.com

#09112023HLGOMUV36BW2_EN

Dealer